

MANSIL-PI[®]



INK - GRADE PRECIPITATED SILICA

DESCRIPTION

ULTRA WHITE FINE MILLED POWDER HAVING EXCELLENT
INK PENETRATION CONTROL PROPERTY

SPECIFICATIONS

Sr. No.	PHYSICO-CHEMICAL PROPERTIES	UNIT	TEST METHOD	MANSIL-PI
1	Appearance	**	Visual	White Fine Odourless Powder
2	Bulk Density (When packed)	gms/lit.	ISO 787/11	300 ± 50
3	Moisture (at 105°C/2 hrs.)	%	ISO 787/2	6.0 Max
4	Ignition Loss (at 1000°C/2 hrs.) on anhydrous basis	%	ISO 3262/11	6.0 Max
5	pH (5% aqu. suspn.)	**	ISO 787/9	7.0 - 9.0
6	Avg. Particle Size, d-50 (Malvern)	Micron	ISO 13320-1	7.0 - 12.0
7	SiO ₂ content on anhydrous basis	%	ISO 3262/19	95.0 Min
8	Soluble Salts	%	ISO 787/13	2.0 Max
9	Iron content (as Fe+3)	ppm	ISO 5794-1, Annex.c	300 Max

* Revision Date : 01.05.2020

Revision No : 01

APPLICATION : CLOTH PRINTING INK FORMULATIONS.

PACKING & LOGISTICS	GRADE	NET WEIGHT (KG)	SHIPMENT (MT)				
			TRUCK LOAD (MT)	CONTAINER LOAD			
				UN PALLETISED		PALLETISED	
20' FCL	40' FCL	20' FCL	40' FCL				
Laminated HDPE Bags with Inner LDPE liners	MANSIL-PI	25	9.0	13.0	26.0	10.0	24.0

Packing : Available in Paper bags, Jumbo bags & EVA bags can also be given as per customer requirement.



Block No. 395, Tejpur Road, At & Post - Martoli - 384430,
Ta. : Jotana, Dist : Mahesana.
Tel. No. +91-2762-225566, (M) 9687674740,
Fax No. : +91 2762 225544
E-mail : madhavind15@gmail.com

An ISO 9001:2015, ISO 22000:2005 Certified Company



Science in the service of Industry & Environment